



# TECHNOTEST

## DIRECTION "ASSESSMENT"

PRODUCTS CERTIFICATION BODY

Accredited by the EA "BAS", according to BDS EN ISO/IEC 17065:2012  
Certificate № 4 OCPI/31.10.2014, valid until 31.10.2018



# CERTIFICATE

## ENGLISH EDITION

No: 24-16-W

Issued to: 14.11. 2016

Valid until: 13.11.2019

CERTIFICATE HOLDER: **ETEM BULGARIA S.A**  
119A, Ilientsi Blvd., Sofia, 1220, Bulgaria

**With this Certificate Direction "Assessment" certifies that:**

PRODUCT: *Single window tilt and turn*  
TYPE: *Hinged window of aluminum profiles with thermal break system of E-75*

### TECHNICAL DATA:

**Maximum/Minimum Dimensions:** *Height - 1575/1200 mm;  
Width - 840/640 mm.*

**Frame:** *Aluminum profiles, type E 75100, production of ETEM Bulgaria. Distance between attachment points max 400 mm.*

**Leaf:** *Frame - Aluminum profiles, type E75111, production of ETEM Bulgaria.  
Infilling - Double glazing AGC 44.4, class by Standard BDS EN 356 - P4A, produced by AGC Flat Glass Czech, Czech Republic. Glazing bead- 32 mm.*

**Closing and Locking:** *Central locking system - multipoint linkage, model UNI JET, production of GU, Germany. Equipped with handle model Hoppe Secustic, with button and a key for locking, production of Hoppe, Germany.*

**Operation:** *Manual, opening inward - tilt and turn*

**Attack side:** *The outside of the window*

CONFORMS TO THE REQUIREMENTS OF: *BDS EN 1627:2011 - resistance burglary - class RC 2*

Applied scheme for certification: **B**

BASIS FOR ISSUE: *Test report according to standards BDS EN 1628; 1629; 1630:2011+A1:2016, № 10772/28.10.2016, issued by Test Laboratory of Department "Testings" - TECHNTEST and Evaluation of Technical Documentation of the product (Dossier № 32/2016).*

**The issued certificate is valid only for the specific product and does not apply to its subsequent production.**

Head of Direction  
"Assessment"



(Ilya Hristov)